

# KINNELOA IRRIGATION DISTRICT

Regular Meeting – Board of Directors  
1999 Kinclair Drive, Pasadena, CA 91107  
Tuesday, May 26, 2026  
2:00 P.M.

## AGENDA

This meeting will be conducted at the District office in accordance with the Brown Act and AB 2449. Public comment may be made in person or submitted via email to [gm@kidwater.info](mailto:gm@kidwater.info) prior to the meeting, any information submitted will become part of the official record. The public may participate at the office or via computer or telephone using the following information: <https://us02web.zoom.us/j/85061795151?pwd=QURaWGV5Lzg3dmEvcGx1Ujl6akRHdz09>

Meeting ID: 850 6179 5151

Passcode: 156331

Telephone: 669 900 9128

### 1. CALL TO ORDER –

- a. Declaration of a quorum
- b. Review of agenda

### 2. PUBLIC COMMENT – Comments from the Public regarding items on the Agenda or other items within the jurisdiction of the District

In compliance with the Brown Act, the Board cannot discuss or act on items not on the Agenda. However, Board Members or District Staff may acknowledge Public comments, briefly respond to statements or questions posed by the Public, ask a question for clarification, or request Staff to place item on a future Agenda (Government Code section §54954.2)

### 3. REVIEW OF MINUTES – April 28, 2026 Regular Meeting

*Recommended Action: Review and approve motion to file.*

### 4. REVIEW OF FINANCIAL REPORTS – April 2026

*Recommended Action: Review and approve motion to file.*

### 5. ELECTION OF KINNELOA IRRIGATION DISTRICT BOARD OFFICERS FOR YEAR 2025 –

*Recommended Action: Conduct election per the following procedure per Article 4.03 of the Kinneloa Irrigation District's Rules and Regulations.*

**BOARD OFFICER ELECTION PROCEDURE** - Officers will be nominated and elected individually, not as a "slate." The procedure is as follows:

- a. The Chairman calls for nominations for the office of Chairman.
- b. A candidate is nominated.
- c. The nomination is seconded. If a second is not received, the nomination dies.
- d. The Chairman then asks if there are other nominations.
- e. All other nominations (if any) are received and seconded.
- f. The Chairman then calls for a vote and announces the results.
- g. The same procedure is followed for the office of Treasurer and Secretary.

**6. PROPOSED REVISIONS TO DISTRICT RESERVE POLICY FUNDING GUIDELINES –**

*Recommended Action: Review current Reserve Policy included in the District Rules and Regulations. Discuss proposed changes and direct GM to prepare updated Rules and Regulations at next meeting.*

**7. INFORMATION ITEMS**

- a. Water Loss Audit – Feb-April 2026\*
- b. Water Quality Testing and Reporting – April 2026\*
- c. Capital Project Status Report and Schedule\*
- d. General Managers Report – April 2026\*
- e. 2025 Consumer Confidence Report\*
- f. Subeca Performance Update
- g. Director Ethics Training and Harassment Prevention Training\*

**8. CLOSED SESSION – Pending or threatened litigation (Government Code Section 54956.9(a))**

**9. DIRECTOR REPORTS AND/OR COMMENTS –**

In accordance with Government Code §54954.2 Directors may make brief announcements or brief reports on their own activities. Directors may ask a question for clarification, provide a reference to staff or other resources for information, request staff to report back to the Directors at a subsequent meeting, or act to direct staff to place a matter of business on a future agenda.

**10. CALENDAR – Upcoming meetings: June 23, 2026; July 28, 2026; August 25, 2026**

**11. ADJOURNMENT**

---

In compliance with the Americans with Disabilities Act, if you are a disabled person and need a disability-related modification or accommodation to participate in this meeting, please contact the District office 48 hours prior to the meeting at 626-797-6295. Each item on the agenda, no matter how described, shall be deemed to include any appropriate motion, whether to adopt a minute motion, resolution, payment of any bill, approval of any matter or action, or any other action. Material related to an item on this agenda submitted after distribution of the agenda packet is available for public review at the District office or online at the District's website <https://kinneloirrigationdistrict.info>.

---

# KINNELOA IRRIGATION DISTRICT

Regular Meeting – Board of Directors  
1999 Kinclair Drive, Pasadena, CA 91107  
Tuesday, April 28, 2026, 2:00 P.M.

## MINUTES

The meeting was conducted in the District Board Room and by teleconference in accordance with the Brown Act and AB 2449. The District offered the public the option to attend the meeting by telephone, videoconference or in-person as stated in the agenda.

**DIRECTORS PRESENT:** (In-Person): Stephen Brown, Gordon Johnson, William Opel, John Feliton, Timothy Eldridge

**DIRECTORS ABSENT:** None

**STAFF PRESENT:** (In-Person): Tom Majich, General Manager (GM); Katherine Morrisroe, Assistant Management Analyst

**PUBLIC PRESENT:** Gail Egan, Michael G. (remote)

**1. CALL TO ORDER:**

Director Johnson called the meeting to order at 2:00 P.M. and took roll call. A quorum of Board Members was present and reviewed the agenda.

**2. PUBLIC COMMENT:** None

**3. FINANCIAL STATEMENTS FOR THE YEARS ENDED DECEMBER 31, 2025 AND 2024 AND INDEPENDENT AUDITOR’S REPORT:**

Gail Egan, the District’s Auditor, was present and responded to various inquiries from the Directors regarding the audit and financial reports. Director Opel requested that the minutes reflect the possibility of an increase in liability due to pending litigation and the potential conversion of the CalPERS PEPRA program in the future which could create a greater current cash need to pay premiums and create a greater long term pension liability. Director Opel also noted that although the Audit notes the restrictions on property taxation currently in place by the District, a future action to form a Joint Powers Authority could create new property taxing authority by that entity. Director Eldridge motioned to approve the audit report subject to correcting two typos and making changes to the management discussion analysis that the GM will revise for inclusion in the final audit. He was seconded by Director Johnson. It was motioned / seconded / carried unanimously – (Eldridge / Johnson – 5 Aye / 0 Nay).

**4. REVIEW OF MINUTES**

Director Eldridge motioned to approve the **March 24, 2026 Minutes** for filing and was seconded by Director Opel. It was motioned / seconded / carried unanimously – (Eldridge / Opel – 5 Aye / 0 Nay).

**5. REVIEW OF FINANCIAL REPORTS:**

The General Manager presented the **March 2026 financial reports**. Director Eldridge motioned to approve the reports for filing and was seconded by Director Feliton. It was motioned / seconded / carried unanimously – (Eldridge / Feliton – 5 Aye / 0 Nay).

**6. INFORMATION ITEMS:**

a. The GM reviewed the Water Loss Audit report for the months January through March. The Water Loss Audit report will reflect a rolling 3-month history moving forward.

b. The General Manager reviewed the March 2026 Water Quality Testing Report.

c. The General Manager presented the Capital Project Status Report including a projected schedule for all active projects.

d. The General Manager presented the monthly report on District activities, water supply, and production.

e. The General Manager shared that Subeca device reporting reliability has increased significantly with very few hardware issues in the field. The staff is receiving weekly water consumption reports from Subeca and will endeavor to perform more details water loss analyses.

f. The GM noted that SCE will be proposing a slight relocation of the power pole at the Vosburg site and that once all details are determined a new easement will be presented to the Board for consideration and action.

g. The General Manager reported that a vendor proposing installation of a cellular communications site at Vosburg will be preparing a term sheet outlining the proposed financial terms, the GM will present at a future meeting when received.

**7. COMPENSATION STUDY FOR GENERAL MANAGER CLASSIFICATION:**

The Board reviewed the proposal from the CPS HR Consulting Group to provide general manager compensation services and evaluate budget considerations. A discussion ensued where questions were asked and answered. Director Brown proposed that the cap on the fee be set at \$5,000. Director Opel motioned to approve the proposed service agreement with a not to exceed amount of \$5,000 and was seconded by Director Eldridge. It was motioned / seconded / carried unanimously – (Opel / Eldridge – 5 Aye / 0 Nay).

**8. CLOSED SESSION – Pending or Threatened Litigation:**

The Board went into closed session at 3:43pm and ended at 4:09pm. Chairman Brown reported that no action was taken on this agenda item.

**9. DIRECTOR REPORTS AND/OR COMMENTS:**

Chairman Brown announced that he will be moving out of the District soon and that his last meeting as a Board member will be the May 26, 2026 Regular Meeting. He will resign as Board Chair at the beginning of that meeting; he will confirm the date of his resignation as a Board Member via separate correspondence to the General Manager. Chairman Brown requested the GM include Election of Officers as an agenda item at the next meeting so that a new Board Chair can be elected at that time.

**10. CALENDAR:**

Upcoming regular meetings: May 26, 2026; June 23, 2026; July 28, 2026

**11. ADJOURNMENT:**

Chairman Brown adjourned the meeting at 4:30 P.M.

**Prepared and submitted by,**

**Katherine Morrisroe  
Assistant Management Analyst**

**Kinneloa Irrigation District**  
**Balance Sheet as of April 30, 2026**

**ASSETS**

**Current Assets**

1010	Checking-Wells Fargo Bank	\$	219,490.36
1011	CIP Reserve Fund		4,586,427.43
1012	Reserve Fund-LAIF		975,427.91
1100	Accts. Receivable-Water Sales		47,589.37
1101	Accts. Receiv.-Service Charges		2,697.50
1107	AR Grants Receivable		0.00
1108	AR Public Asst. - Federal		198,249.92
1109	AR Public Asst. - State		0.00
1190	Allowance for Bad Debts		(771.48)
1200	Inventory		20,000.00
1340	Accrued Water Sales		211,003.80
	Total Current Assets		<u>6,260,114.81</u>

**Property and Equipment**

Total Property and Equipment	<u>4,854,806.43</u>
------------------------------	---------------------

**Other Assets**

1901	PERS-Deferred Outflows	\$	87,088.00
	Total Assets		<u><u>11,202,009.24</u></u>

**LIABILITIES AND CAPITAL**

**Current Liabilities**

2000	Accounts Payable	\$	27,258.90
2005	Umpqua Visa Payable		7,232.82
2250	PERS Withholding - Employee		44.75
2270	Deferred Grant Revenue		198,249.92
2271	Deposits-Construction Meters		1,800.00
2272	Job Deposits		20,636.14
2275	Deposits-Water Customers		1,544.91
2290	Accrued Vacation		<u>31,921.96</u>
	Total Current Liabilities		288,689.40

**Long-Term Liabilities**

2300	Columbia Bank Loan 2026	5,500,000.00
2801	PERS- Net Liability	406,052.50
2901	PERS- Deferred Inflows	<u>86,153.00</u>
	Total Long-Term Liabilities	<u>5,992,205.50</u>

Total Liabilities	6,280,894.90
-------------------	--------------

**Capital**

3040	Fund Balance	\$	4,770,380.18
	Net Income		<u>150,734.16</u>
	Total Capital		<u>4,921,114.34</u>
	Total Liabilities & Capital		<u><u>11,202,009.24</u></u>

**Kinneloa Irrigation District**  
**Income Statement**  
**Compared with Budget for the Four Months Ending April 30, 2026**

		Current Month Actual	Current Month Budget	Current Month Variance	Year to Date Actual	Year to Date Budget	Year to Date Variance	Annual Budget
<b>Revenues</b>								
4001	Retail Water Sales DSC	69,412.50	70,232.96	(820.46)	277,111.76	280,931.84	(3,820.08)	854,501.00
4002	Retail Water Sales Consumption	142,781.40	135,070.95	7,710.45	501,282.72	424,508.70	76,774.02	1,929,585.00
4020	Service Charges	156.18	0.00	156.18	1,654.56	0.00	1,654.56	0.00
4035	Interest on Cash	9,466.03	6,549.25	2,916.78	19,572.71	26,197.00	(6,624.29)	78,591.00
4060	Grants/Disasters Assistance	51,712.00	0.00	51,712.00	51,712.00	0.00	51,712.00	0.00
4070	Misc. Income	0.00	0.00	0.00	3,479.21	0.00	3,479.21	0.00
	<b>TOTAL REVENUES</b>	<b>273,528.11</b>	<b>211,853.16</b>	<b>61,674.95</b>	<b>854,812.96</b>	<b>731,637.54</b>	<b>123,175.42</b>	<b>2,862,677.00</b>
<b>Expenses</b>								
5005	Electricity	13,384.80	20,872.50	(7,487.70)	63,946.73	83,490.00	(19,543.27)	250,470.00
5010	Maintenance Supplies	2,898.04	2,187.50	710.54	6,923.26	8,750.00	(1,826.74)	26,250.00
5012	Safety Equipment	633.30	257.50	375.80	2,094.61	1,030.00	1,064.61	3,090.00
5015	Operations & Maint. Labor	30,982.12	29,750.00	1,232.12	120,357.38	119,000.00	1,357.38	357,000.00
5016	Non-Emergency Operations OT	1,725.21	2,925.00	(1,199.79)	6,113.31	11,700.00	(5,586.69)	35,100.00
5020	Standby Compensation	960.00	912.50	47.50	3,720.00	3,650.00	70.00	10,950.00
5022	Training/Certification	0.00	260.00	(260.00)	(85.00)	1,040.00	(1,125.00)	3,120.00
5025	Water Treatment/Analysis	0.00	1,287.50	(1,287.50)	32,309.48	5,150.00	27,159.48	15,450.00
5026	Water Treatment/Supplies	562.12	875.00	(312.88)	3,646.38	3,500.00	146.38	10,500.00
5030	Maint. Contractors Scheduled	19,713.89	9,721.25	9,992.64	42,227.78	38,885.00	3,342.78	116,655.00
5031	SCADA System O&M	0.00	862.50	(862.50)	5,205.75	3,450.00	1,755.75	10,350.00
5033	Unscheduled/Emergency Repair	1,250.00	0.00	1,250.00	1,250.00	0.00	1,250.00	0.00
5034	Equipment Maintenance	0.00	1,725.00	(1,725.00)	821.00	6,900.00	(6,079.00)	20,700.00
5035	Vehicle Maintenance	2,151.94	517.50	1,634.44	2,877.80	2,070.00	807.80	6,210.00
5036	Fuel - All Equipment	884.41	1,050.00	(165.59)	2,815.15	4,200.00	(1,384.85)	12,600.00
5040	Equipment Rental	0.00	42.75	(42.75)	0.00	171.00	(171.00)	513.00
5045	Insurance-Workers Compensation	5,026.12	1,781.08	3,245.04	9,960.74	7,124.33	2,836.41	21,373.00
5046	Insurance-Liability	0.00	3,041.67	(3,041.67)	0.00	12,166.67	(12,166.67)	36,500.00
5048	Insurance-Property	0.00	470.58	(470.58)	0.00	1,882.33	(1,882.33)	5,647.00
5049	Insurance-Medical	10,646.79	8,837.50	1,809.29	42,587.12	35,350.00	7,237.12	106,050.00
6000	Engineering Services	14,115.00	5,177.08	8,937.92	40,702.50	20,708.33	19,994.17	62,125.00
6005	RBMB Watermaster Fees	22,673.38	1,622.92	21,050.46	0.00	6,491.67	(6,491.67)	19,475.00
6015	General Manager Compensation	15,815.84	16,720.75	(904.91)	63,035.94	66,883.00	(3,847.06)	200,649.00
6017	Administrative Travel	348.22	266.50	81.72	348.22	1,066.00	(717.78)	3,198.00
6020	Board of Directors Comp.	600.00	750.00	(150.00)	2,400.00	3,000.00	(600.00)	9,000.00
6021	Administrative/Board Expense	0.00	427.08	(427.08)	590.92	1,708.33	(1,117.41)	5,125.00
6022	Board of Directors Election	0.00	1,041.67	(1,041.67)	0.00	4,166.67	(4,166.67)	12,500.00
6024	Customer/Public Information	352.00	1,288.92	(936.92)	2,108.00	5,155.67	(3,047.67)	15,467.00
6025	CalPERS - KID	5,172.07	4,875.00	297.07	20,261.95	19,500.00	761.95	58,500.00
6030	Social Security - KID	4,013.42	3,819.58	193.84	15,665.08	15,278.33	386.75	45,835.00
6031	Medicare - KID	938.66	944.17	(5.51)	3,663.72	3,776.67	(112.95)	11,330.00

**Kinneloa Irrigation District**  
**Income Statement**  
**Compared with Budget for the Four Months Ending April 30, 2026**

	Current Month Actual	Current Month Budget	Current Month Variance	Year to Date Actual	Year to Date Budget	Year to Date Variance	Annual Budget
6035 Office/Computer Supplies	285.54	600.83	(315.29)	1,586.17	2,403.33	(817.16)	7,210.00
6036 Postage/Delivery	539.92	343.33	196.59	2,468.72	1,373.33	1,095.39	4,120.00
6040 Professional Dues	1,322.00	1,801.33	(479.33)	5,392.80	7,205.33	(1,812.53)	21,616.00
6045 Legal Services	2,219.96	515.00	1,704.96	4,391.06	2,060.00	2,331.06	6,180.00
6050 Phone/Internet/Wireless	358.93	729.58	(370.65)	1,860.79	2,918.33	(1,057.54)	8,755.00
6059 Computer/Software Maint.	765.18	1,098.67	(333.49)	9,460.56	4,394.67	5,065.89	13,184.00
6061 Office Equipment Maint.	0.00	214.58	(214.58)	0.00	858.33	(858.33)	2,575.00
6065 Accounting Services	0.00	660.92	(660.92)	503.04	2,643.67	(2,140.63)	7,931.00
6070 Office & Accounting Labor	15,920.96	14,878.17	1,042.79	62,122.43	59,512.67	2,609.76	178,538.00
6075 Professional Services	1,109.13	1,281.25	(172.12)	5,374.59	5,125.00	249.59	15,375.00
6076 Contract Services	2,175.00	4,082.83	(1,907.83)	8,700.00	16,331.33	(7,631.33)	48,994.00
6080 FMWD Administrative Fees	1,103.70	1,254.58	(150.88)	4,480.60	5,018.33	(537.73)	15,055.00
6081 Permits/Fees	781.98	1,293.75	(511.77)	781.98	5,175.00	(4,393.02)	15,525.00
6086 Taxes - Use	96.16	0.00	96.16	96.16	0.00	96.16	0.00
6120 Bank Service Charges	2,507.77	2,587.50	(79.73)	10,303.68	10,350.00	(46.32)	31,050.00
<b>Subtotal Operating Expenses</b>	<b>184,033.56</b>	<b>155,653.33</b>	<b>28,380.23</b>	<b>613,070.40</b>	<b>622,613.33</b>	<b>(9,542.93)</b>	<b>1,867,840.00</b>
<b>NET OPERATING INCOME</b>	<b>89,494.55</b>	<b>56,199.83</b>	<b>33,294.72</b>	<b>241,742.56</b>	<b>109,024.21</b>	<b>132,718.35</b>	<b>994,837.00</b>
<b>Other Expenditures</b>							
1504 Water Mains/Valves	0.00	4,166.67	(4,166.67)	27,536.00	16,666.67	10,869.33	50,000.00
1505 Water Tunnels	0.00	875.00	(875.00)	0.00	3,500.00	(3,500.00)	10,500.00
1512 Water Meters	0.00	2,187.50	(2,187.50)	22,865.67	8,750.00	14,115.67	26,250.00
1513 Electrical/Electronic Equip.	0.00	875.00	(875.00)	0.00	3,500.00	(3,500.00)	10,500.00
1514 Computer/Office Equip.	0.00	214.58	(214.58)	0.00	858.33	(858.33)	2,575.00
1516 Water Company Facilities	0.00	1,666.67	(1,666.67)	23,297.00	6,666.67	16,630.33	20,000.00
1527 SCADA Components	6,155.50	875.00	5,280.50	12,311.00	3,500.00	8,811.00	10,500.00
1530 Tools	0.00	416.67	(416.67)	0.00	1,666.67	(1,666.67)	5,000.00
<b>Subtotal Other Expenditures</b>	<b>6,155.50</b>	<b>11,277.08</b>	<b>(5,121.58)</b>	<b>86,009.67</b>	<b>45,108.33</b>	<b>40,901.34</b>	<b>135,325.00</b>
<b>NET WATER REVENUES</b>	<b>83,339.05</b>	<b>44,922.74</b>	<b>38,416.31</b>	<b>155,732.89</b>	<b>63,915.87</b>	<b>91,817.02</b>	<b>859,512.00</b>
<b>Debt Service</b>							
2300 Columbia Bank Loan 2026	0.00	0.00	0.00	0.00	0.00	0.00	410,777.00
6088 Interest Expense	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6121 Loan Closing Fees	0.00	0.00	0.00	91,008.40	0.00	0.00	0.00
<b>Subtotal Debt Service</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>91,008.40</b>	<b>0.00</b>	<b>91,008.40</b>	<b>410,777.00</b>
<b>TOTAL INCREASE/(DRAWDOWN)</b>	<b>83,339.05</b>	<b>44,922.74</b>	<b>38,416.31</b>	<b>64,724.49</b>	<b>63,915.87</b>	<b>808.62</b>	<b>448,735.00</b>

**Kinneloa Irrigation District**  
**Cash Disbursements**  
**For the Period From April 1, 2026 to April 30, 2026**

<b>Date</b>	<b>Check#</b>	<b>Name</b>	<b>Memo/Description</b>	<b>Cr ID</b>	<b>Account Description</b>	<b>Amount</b>
04/01/2026	20260401CB-1	PVC Pipe Supplies	PVC Parts	5010	Maintenance Supplies	504.83
04/02/2026	20260402TM-1	GOOGLE LLC	Google Cloud	6059	Computer/Software Maint.	78.19
04/02/2026	20260402TM-2	GOOGLE LLC	Google Workspace	6059	Computer/Software Maint.	196.80
04/03/2026	20260403KM-1	Ware Disposal	Trash Services	6075	Professional Services	509.79
04/03/2026	20260403MA-1	California Air Resources Board	PERP Registration	6081	Permits/Fees	756.98
04/05/2026	20260405MA-1	Staples	Office Supplies	6035	Office/Computer Supplies	50.78
04/06/2026	20260406FG-1	Amazon	Wire Brushes	5010	Maintenance Supplies	25.36
04/07/2026	20260407RA-1	Harbor Freight	Socket Adapter	5010	Maintenance Supplies	40.62
04/08/2026	20260408MA-1	Ralphs	Office Supplies	6035	Office/Computer Supplies	48.66
04/09/2026	20260409JP-1	America's Tire	Truck 5 Tires	5035	Vehicle Maintenance	1,273.95
04/09/2026	20260409MA-1	CA Dept of Tax & Fee Admin	Use Tax	6086	Taxes - Use	96.16
04/10/2026	20260410CB-1	AutoZone	Oil	5035	Vehicle Maintenance	92.50
04/10/2026	20260410FG-1	HOME DEPOT	Circuit Breaker Finder, Tool Organizer	5010	Maintenance Supplies	60.72
04/12/2026	20260411TM-1	Town & Country Resort	Hotel	6017	Administrative Travel	322.78
04/12/2026	20260412FG-1	HOME DEPOT	Supplies	5010	Maintenance Supplies	73.29
04/12/2026	20260412RA-1	Arco Business Solutions	Fuel	5036	Fuel - All Equipment	46.98
04/12/2026	20260412TM-1	STARLINK	Internet	6059	Computer/Software Maint.	5.00
04/12/2026	20260412JP-1	Arco Business Solutions	Tire Alignment	5035	Vehicle Maintenance	175.00
04/14/2026	20260414TM-1	Sky Blueprint & Blueprint	Printing	6075	Professional Services	16.57
04/14/2026	20260214KM-1	AT&T Mobility	FirstNet	6050	Phone/Internet/Wireless	63.41
04/14/2026	20260414FG-1	HOME DEPOT	Pliers	5010	Maintenance Supplies	27.59
04/15/2026	20260415RA-1	Bulk Industries	Pavement Marker	5010	Maintenance Supplies	595.56
04/17/2026	20260417RA-1	America's Tire	Truck 4 Tires	5035	Vehicle Maintenance	610.49
04/17/2026	20260417CB-1	Amazon	Valve - K3 Maint.	5010	Maintenance Supplies	608.80
04/19/2026	20260419FG-1	Red Wing Shoe Store	Shoes	5012	Safety Equipment	336.99
04/19/2026	20260419RA-1	HOME DEPOT	Thermostat	6035	Office/Computer Supplies	99.43
04/19/2026	20260419TM-1	SimpliSafe	Simplisafe	6059	Computer/Software Maint.	9.99
04/21/2026	20260421RA-1	Red Wing Shoe Store	Shoes	5012	Safety Equipment	296.31
04/22/2026	20260422MA-1	Target	Office Supplies	6035	Office/Computer Supplies	47.49
04/23/2026	20260423MA-1	SP State and Fedral	Labor Law Poster	6035	Office/Computer Supplies	39.18
04/23/2026	20260423TM-1	ParkWhiz Inc.	Parking	6017	Administrative Travel	25.44
04/24/2026	20260424FG-1	HOME DEPOT	Hack Saw	5010	Maintenance Supplies	97.18
<b>TOTAL</b>						<b>\$7,232.82</b>

**Kinneloa Irrigation District**  
**Check Register**  
**For the Period From April 1, 2026 to April 30, 2026**

<b>Date</b>	<b>Check#</b>	<b>Payee</b>	<b>Amount</b>
04/07/2026	11659	Bluegrass Integrated Communications	-539.92
04/07/2026	11660	Waypoint Geospatial LLC	-1,200.00
04/07/2026	11661	Cricket Scada LLC	-6,155.50
04/07/2026	11662	ACWA JPIA	-11,918.49
04/07/2026	11663	Utility Service Co., Inc.	-19,713.89
04/07/2026	11664	Public Water Agencies Group	-1,322.00
04/07/2026	11666	ACWA-JPIA	-5,026.12
04/07/2026	11667	BMC Landscape Management	-2,175.00
04/07/2026	11668	Foothill Municipal Water District	-1,103.70
04/13/2026	11669	Darioush Siamak	-598.81
04/13/2026	11670	SWRCB Accounting Office	-25.00
04/15/2026	11672	Raymond Basin Management Board	-3,039.88
04/15/2026	11673	McMaster Carr	-562.12
04/16/2026	EFT7096	Payroll - Office	-5,531.40
04/16/2026	EFT7097	Payroll - Field	-11,844.58
04/16/2026	EFT7098	Payroll - Management	-4,511.74
04/16/2026	EFT7099	Automatic Data Processing, Inc.	-8,898.63
04/17/2026	EFT7100	Pasadena Municipal Services	-1,856.34
04/17/2026	EFT7101	Southern California Edison Co.	-14,736.07
04/17/2026	EFT7102	Ultimate Cleaning Solutions, Inc.	-90.00
04/17/2026	EFT7103	Streamline	-352.00
04/17/2026	EFT7104	Underground Service Alert	-42.25
04/17/2026	EFT7105	Automatic Data Processing, Inc.	-133.44
04/17/2026	EFT7106	CA Public Employees Ret. Sys.	-9,703.07
04/17/2026	EFT7107	CalPERS 457 Plan	-1,232.17
04/17/2026	EFT7108	Nexbillpay	-1,797.84
04/17/2026	EFT7109	Umpqua Bank	-5,275.56
04/17/2026	EFT7110	Western Supreme Rooter Inc.	-1,250.00
04/21/2026	EFT7111	Spectrum	-57.17
04/21/2026	EFT7112	Arco Business Solutions	-837.43
04/21/2026	EFT7113	Nexbillpay	-355.40
04/21/2026	EFT7114	Splashtop	-475.20
04/22/2026	11674	Western Water Works	-864.09
04/22/2026	11675	Raymond Basin Management Board	-18,986.00
04/25/2026	11676	Civiltec Engineering, Inc.	-12,915.00
04/25/2026	11677	Clinical Lab of San Bernardino	-780.00
04/27/2026	EFT7115	Automatic Data Processing, Inc.	-121.03
04/27/2026	EFT7116	CalPERS 457 Plan	-1,232.17
04/27/2026	EFT7117	National Construction Rentals	-196.05
04/27/2026	EFT7118	Spectrum	-200.00
04/28/2026	EFT7119	Verizon Wireless 1	-38.35
04/30/2026	EFT7120	Payroll - Office	-5,697.61
04/30/2026	EFT7121	Payroll - Field	-11,882.91
04/30/2026	EFT7122	Payroll - Management	-4,511.73
04/30/2026	EFT7123	Payroll - Board	-554.08
04/30/2026	EFT7124	Automatic Data Processing, Inc.	-9,053.29
	<b>TOTAL</b>		<b>-189,393.03</b>



**WATER SAMPLE RESULTS SUMMARY**  
**April 2026**

SAMPLE DATE	LAB	SOURCE OR DISTRIBUTION	TEST ANALYSIS	DESCRIPTION	# SAMPLES	# TESTS	RESULTS	COMMENTS
4/7/2026	Clinical	Distribution	Bacteriological	Total Coliform, E.coli	6	12	ND	
4/7/2026	Clinical	Distribution	General Physical	Color, Odor, Turbidity	6	18	< MCL	Color, odor, turbidity are regulated by a secondary standard to maintain aesthetic qualities such as taste, smell, & appearance.
4/7/2026	Clinical	Distribution	Field	Chlorine Residual	6	6	.84 - 1.39 mg/L	District permit requires Chlorine Residual to be > 0.5 mg/L.
4/7/2026	Clinical	Distribution	Title 22s - Fluoride	Fluoride	6	6	1.2 mg/L all sites	CA Fluoride MCL is 2.0 mg/L. All distribution sites was analyzed for Fluoride
4/7/2026	Clinical	Source*	Bacteriological	Total Coliform, E.coli	2	4	ND	1st week sources tested are groundwater wells - Kinneloa #3 Well & Wilcox Well.
4/7/2026	Clinical	Source*	Title 22s - Fluoride	Fluoride	2	2	K3- .12 mg/L Wilcox Well- 1.9 mg/L	CA Fluoride MCL is 2.0 mg/L. Kinneloa #3 Well and Wilcox Well were analyzed for Fluoride
4/7/2026	Clinical	Distribution	Special Fluoride	Fluoride	1	1	1.8	In-house testing for blending fluoride at Wilcox Reservoir using Kinneloa #3 Well and Wilcox Well using Wilcox IC.
4/7/2026	Clinical	K3 Well	Perchlorate	Perchlorate	1	1	1.3 µg/L	CA Perchlorate MCL is 6 µg/L.
4/21/2026	Clinical	Distribution	Bacteriological	Total Coliform, E.coli	6	12	ND	
4/21/2026	Clinical	Distribution	Field	Chlorine Residual	6	6	.84 - 1.60 mg/L	District permit requires Chlorine Residual to be > 0.5 mg/L.
4/21/2026	Clinical	Source*	Bacteriological	Total Coliform, E.coli	2	4	ND	3rd week sources are raw ground water tunnels. All tunnels are diverted to spreading. In-house sampling for Eucalyptus Tunnel & Far Mesa Tunnel only.
4/21/2026	Clinical	Source*	Title 22s - Fluoride	Fluoride	2	2	Eucalyptus- 1.8 mg/L Far Mesa- 2.5 mg/L	In-house testing - Eucalyptus Tunnel and Far Mesa Tunnel were analyzed for Fluoride
4/21/2026	Clinical	K3 Well	Perchlorate	Perchlorate	1	1	1.4 µg/L	CA Perchlorate MCL is 6 µg/L.

**Total Samples**                      47      75

**NOTES:**

\*All source groundwater tunnels were diverted to spreading on 12/01/2023. Delores Tunnel was turned into the system on 5/1/24 and again diverted to spreading on 1/7/25 due to Eaton Fire damage. As of 1/7/2025, all source groundwater tunnels are diverted to spreading.

< MCL = less than Maximum Contaminant Level, ND = not detected, mg/L = milligrams per liter, ug/L = micrograms per liter, A = Absence

5/20/26							
KID Job #	KID Job Name	Summary	Status	Engineer / Contractor	2026	2027	2028
25014	SCADA RTU Upgrade Project	With grant assistance from CalOES upgrade all RTU's in SCADA system due to obsolescence	All 16 devices in hand, start programming and install March 2026. Project must be complete by 12/31/2026 per CalOES grant guidelines	KID / CRICKET	\$ 9,204	\$ -	
24113	Brown-Glen Reduced Pressure Zone Project	Extend 12" DIP Vosburg Pressure to Villa Highlands, install PSV/PRV station. Replace all piping, hydrants and services on Edgecliff. Provide connection for future Wilcox to Vosburg Pumping Line	<b>Permits with LA County, DDW and City of Pasadena under review. When permits in hand project will be issued for bidding.</b>	CIVILTEC / TBD	\$2,152,800	\$ -	
26004	Lower Pasadena Glen Road Pipeline Replacement	Lower Pasadena Glen Road: Replace 780' of 3" STL to 8" DIP on Vosburg Pressure (14 services, 2 new VPZ hydrants, abandon GV-1&2)	design started week of 4/20, bid plans and specs anticipated by end of June	CIVILTEC / TBD	\$ 855,000	\$ -	
25006	K3 Well/Pump/Motor/Electrical Rehab, new Disinfection Station	Rehab K3 well pump and motor, install new chlorination system and controls, replace electrical MCC due to age/corrosion	KID GM scope memo 75% complete, no design proposal solicited yet; budget assumes \$52,000 in design work in 2026	KID / GENERAL PUMP CO	\$ 52,000	\$ 648,960	
26003	Eucalyptus Reservoir Rehab Project	While K3 is out of service, bypass Eucalyptus reservoir via PWP connection, fix identified cracks in walls, repair deficient roof hatch, recoat interior of reservoir, remove abandoned piping and valves in reservoir, replace old isolation gate valve at reservoir inlet	KID GM scope memo 75% complete, no design proposal solicited yet	KID / TBD	\$ -	\$ 162,240	
26001	Wilcox Reservoir and Booster Station Rehab	Replaced failing reservoir liner, replace (2) booster pumps, rehab pump platform/enclosure, new pumping line up to Villa Highlands/Dove Court, new backup generator for pump station, solar for non-pumping electrical loads	KID GM scope memo 75% complete, no design proposal solicited yet. Assumes \$156,000 spent in 2026 on design work and planning	TBD / TBD	\$ 156,000	\$1,695,949	
26002	Vosburg Reservoir Resilience Project	Install CSPE liner in concrete reservoir, replace wood framed roof with non-combustible steel or aluminum	2027 Budget includes \$100,000 for complete design work so that grant and other funding opportunities may be pursued for "shovel ready" project of ~\$2.5m	TBD / TBD	\$ -	\$ 100,000	
26005	AMR/AMI Metering Upgrade						\$ -
26006	Septic to Sewer Feasibility Study		waiting on proposal from consultant				\$ -
28001	Solar Power Systems at all Generator Powered Sites		conceptual only, no scope defined				\$ 112,486
28002	Backup Generators for Eucalyptus and Vosburg/Sage		conceptual only, no scope defined				\$ 281,216
	<b>SUBTOTAL</b>				<b>\$ 3,255,680</b>	<b>\$ 2,607,149</b>	<b>\$ 393,702</b>



Tasks	Duration	Pred	Start Date	End Date	2026				2027				
					Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
35 MEP Connections to new Generator	20d	34	02/15/27	03/12/27									MEP Connections
36 Testing and Startup	10d	35	03/15/27	03/26/27									Testing and Star
37 SCADA Integration	10d	36, 29	03/29/27	04/09/27									SCADA Integrat
38 26003 Eucalyptus Reservoir Repairs	30d		01/04/27	02/12/27									26003 Eucalyptus F
39 Draw Down/Isolate Reservoir and Activate PWP IX	5d	26SS -5d	01/04/27	01/08/27									Draw Down/Isolate Re
40 Remove Abandoned Piping in Tank	5d	39	01/11/27	01/15/27									Remove Abandoned I
41 Prep Tank interior for Resurfacing	5d	40	01/18/27	01/22/27									Prep Tank interior for
42 Resurfacing of Tank Interior and Roof Hatch	10d	41	01/25/27	02/05/27									Resurfacing of Tank
43 Replace Isolate Valve Outside Reservoir	10d	39	01/11/27	01/22/27									Replace Isolate Valve
44 Refill Reservoir	5d	42, 43	02/08/27	02/12/27									Refill Reservoir
45													
46													
47 26001 Wilcox Booster Station and Pumping Line Project	375d		04/26/26	09/30/27									26001
48 Project Scoping Memo Complete	15d		04/26/26	05/14/26									Project Scoping Memo Complete
49 Design Consultant RFP and Proposals	20d	48	05/15/26	06/11/26									Design Consultant RFP and Proposa
50 Engage Design Consultant	20d	49	06/12/26	07/09/26									Engage Design Consultant
51 Design Development	30d	50	07/10/26	08/20/26									Design Development
52 Estimating and Constructibility Review	30d	51	08/21/26	10/01/26									Estimating and Constructibilit
53 Construction Documents	30d	52	10/02/26	11/12/26									Construction Documents
54 Bid and Award	40d	53	11/13/26	01/07/27									Bid and Award
55 Fabrication and Delivery	80d	54	01/08/27	04/29/27									Fabrication and
56 Site Preparation	30d	55	04/30/27	06/10/27									Site Preparat
57 Installation	60d	56	06/11/27	09/02/27									Install
58 Startup and Commissioning	20d	57	09/03/27	09/30/27									Star

# General Manager’s Report for the Board of Directors Meeting on May 26, 2026

## I. Customer Account Information

### A. Customer Accounts – as of 5/20/25

Active accounts: 546 (down from 592 pre-Eaton Fire, disconnected County Parks meter)  
 Delinquent accounts receiving late charges: 6  
 Accounts shut off for non-payment: 0  
 Accounts in current amortization agreements: 1

## II. Customer Care Report

Customer Leaks	System Leaks	Water Waste	Water Quality	Customer Service*	Comments
3	2	0	0	16	System Leaks were minor meter gasket leaks

\* Customer service includes requests for water shutoff to facilitate customer plumbing repairs, inquiries about water bills, requests for leak checks and general questions.

## III. General Manager’s Projects and Activities

### A. Meetings/Outreach/Key Contacts

1. LA County Public Works monthly water systems recovery meetings
2. PWAG Annual Luncheon 5/20/26
3. ACWA-JPIA Leadership Essentials Cohort Meeting on 5/1/26
4. FMWD Managers Meeting 5/11/26

### B. Grant Funding Opportunities

1. Hazard Mitigation Grants: KID staff are monitoring EPA BRIC (Building Resilient Infrastructure and Communities) grant opportunities to apply once the PWAG Multi-Agency Hazard Mitigation Plan is complete and approved. **Multi-Jurisdictional Hazard Mitigation Plan approved by KID BOD at November 2025 meeting, with PWAG Consultant for final FEMA approval.**

### C. Office Staff Updates

1. Quickbooks Reconciliation Complete, transitioned from Sage effective 12/31/25
2. Operations Coordinator has relocated out of state; position is fully remote now.

### D. System Project Updates

1. **Wilcox Interconnection: PWP Meter Installed, all work complete, testing completed.**
2. **GIS and Asset Management Updates Underway by consultant with field support**
3. **Valve Exercising for 2026 underway with KID Staff (51 of 100 valve goal completed YTD)**
4. **Meter replacement program for 2026 underway (43 of 60-meter swap goal completed YTD)**

E. Regulatory Compliance and Reporting

1. **Post Eaton Fire ongoing monitoring complete for VOC and Asbestos in Quarters 3 and 4 of 2025 and Quarters 1 and 2 of 2026 with no detections.**
2. **2026 Electronic Annual Report (eAR) Submitted and Accepted by DDW on May 15, 2026**
3. **2025 Consumer Confidence Report (CCR) to be issued with May 2026 bills**
4. Sanitary Survey Report from DDW received by KID on March 20, 2025. Responses submitted to DDW May 19, 2025.
5. Permit Amendment 1910035PA-001 Issued April 30, 2025, for standby sources
6. Cross Connection Policy Handbook – new policy adopted by KID Board July 2025.
7. Fluoride Variance – KID fluoride variance expires on 12/13/23. Compliance Plan submitted to DDW on 7/10/23. Revised permit application and blending plan submitted to DDW on 12/5/24.
8. Monthly Water Quality Reporting – Monthly reporting due by the 10<sup>th</sup> of each month.
9. Water Quality Emergency Notification Plan – annual requirement, filed timely in March 2026
10. Drought and Conservation Report – required per Order No. DDW\_HQ\_Drought2023-001 issued on 1/1/23. New requirement for monthly data due quarterly.
11. PFOA, PFOS and PFAS Chemicals: Impacts of regulations are being monitored through trade groups that KID is affiliated with and Raymond Basin monitoring.
12. SB 552 – status of compliance, must meet Fire Flow requirements by January 2032. Costs to be considered in Master Planning.
13. SB 1020 – Clean Energy, Jobs, and Affordability Act of 2022 – requires 100% of all state agency electricity consumption to be from renewable and carbon neutral sources by 2035.

\* Acronyms:

ACWA – Association of California Water Agencies  
ACWA JPIA – Association of California Water Agencies Joint Powers Insurance Authority  
CSDA – California Special Districts Association  
CUEA – California Utilities Emergency Association  
DDW – Dept. of Drinking Water  
DWR – Dept. of Water Resources  
FMWD – Foothill Municipal Water District  
KID – Kinneloa Irrigation District  
LAFCO – Local Agency Formation Commission of Los Angeles County  
PWAG – Public Water Agencies Group  
RBMB – Raymond Basin Management Board  
SWRCB – State Water Resources Control Board  
LCRR – Lead and Copper Rule Revisions

#### IV. Water Supply Summary as 4/30/26 for the Watermaster Year 2025-2026

Raymond Basin Groundwater (Acre Feet)		Kinneloa Irrigation District Water Tunnels (Acre Feet)	
1955 Decreed Rights	516	Holly High-Low	0.0
Less Pasadena Subarea 30% Reduction in Water Rights	-154.8	Eucalyptus	0.0
<b>Net Effective Decreed Rights</b>	<b>361.2</b>		
Prior Year Carryover	51.6	Far Mesa	0.0
Leases/Exchanges	0	House	0.0
Prior Year Spreading	283.5	Delores	0.0
Short Term Storage	248.4		
<b>Total Allowable Extractions</b>	<b>944.7</b>		
Less Water Extracted YTD This Watermaster Year	-491.8	Year to Date Tunnel Production	0.0
<b>Remaining Allowable Groundwater Extractions</b>	<b>452.9</b>	<b>Remaining Estimated Tunnel Production</b>	<b>0.0</b>
Total Available Water Supply (Remaining Allowable Groundwater + Remaining Estimated Tunnel Production through June 2026)		503.3 Acre Feet	
Less Remaining Forecasted Pumping for Retail Water Sales		-100.0 Acre Feet	
<b>Estimated Surplus Water through June 2026**</b>		<b>352.9 Acre Feet</b>	

**As of 4/30/26 approximately 0.9 AF excess water delivered to KID from PWP through Ranch Top IC**

**Total Retail Water Sales for Watermaster Year 2024-2025 = 585.8 Acre-Feet**

**Total Retail Water Sales for Watermaster Year 2023-2024 = 474.8 Acre-Feet**

**Total Retail Water Sales for Watermaster Year 2022-2023 = 493.2 Acre-Feet**

\*\* This is the forecasted surplus water available for sale in the current year and/or carryover to the next Watermaster year which starts on July 1 subject to the carryover limits established by the Raymond Basin Management Board.



## 2025 CONSUMER CONFIDENCE REPORT

### WATER SYSTEM INFORMATION

**Water System Name:** KINNELOA IRRIGATION DISTRICT

**Report Date:** July 2026

Kinneloa Irrigation District (KID) is pleased to provide you with this Consumer Confidence Report (CCR), which contains information about the quality of drinking water that is delivered to you. This report meets the California requirements for reporting water quality information to customers of public water systems and addresses frequently asked questions.

**Type of Water Source(s) in Use:** Two vertical wells and one groundwater source tunnel.

**Name and General Location of Source(s):**

In 2025, the Kinneloa Irrigation District (KID) distributed approximately 521 acre-feet of water to its customers—equal to about 169.9 million gallons. For context, one acre-foot of water is enough to cover an acre of land one foot deep, or about 325,851 gallons. Your tap water came from two deep vertical wells. The wells draw from the Raymond Basin, reaching depths of 244 and 443 feet below the ground. Water from these sources is delivered to reservoirs, where it is blended. Chlorine disinfectant is added at this stage to prevent bacterial growth both in the reservoirs and throughout the distribution system. KID also maintains emergency interconnections with the City of Pasadena, providing backup supply options when needed.

**Drinking Water Source Assessment Information:**

An assessment of Kinneloa Irrigation District's drinking water sources was completed in August 2002. The assessment concluded that KID's sources are considered most vulnerable to nitrate contamination. A copy of the full assessment is available for review at the District office, located at 1999 Kinclair Drive, Pasadena, CA. To request access, contact us at (626) 797- 6295.

**Time and Place of Regularly Scheduled Board Meetings for Public Participation:**

The Board meets on the fourth Tuesday of every month at the District office located at 1999 Kinclair Drive, Pasadena, CA. Members of the public are welcome to attend.

**For More Information, Contact:**

Kinneloa Irrigation District General Manager, Tom Majich, (626) 797- 6295

### ABOUT THIS REPORT

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of **January 1 to December 31, 2025**, and may include earlier monitoring data.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien. Favor de comunicarse con Kinneloa Irrigation District a 1999 Kinclair Drive, Pasadena, CA 91107 a (626) 797-6295 para más información.

## DEFINITIONS

Primary Drinking Water Standards (PDWS)	MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
Maximum Contaminant Level Goal (MCLG)	Level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).
Maximum Contaminant Level (MCL)	The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
Maximum Residual Disinfectant Level (MRDL)	Highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Maximum Residual Disinfectant Level Goal (MRDLG)	Level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
Notification Level (NL)	An advisory level which, if exceeded, requires the drinking water system to notify the governing body of the local agency in which users of the drinking water reside (i.e., city council, county board of supervisors).
Public Health Goal (PHG)	Level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
Regulatory Action Level (AL)	Concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
Secondary Drinking Water Standards (SDWS)	MCLs for contaminants that affect taste, odor, or appearance of drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.
Treatment Technique (TT)	A required process intended to reduce the level of a contaminant in drinking water.
SWRCB	State Water Resources Control Board of California

## SOURCES OF DRINKING WATER & CONTAMINANTS THAT MAY BE PRESENT IN SOURCE WATER

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally occurring or be the result of oil and gas production and mining activities.

## ABOUT YOUR DRINKING WATER QUALITY

### DRINKING WATER CONTAMINANTS DETECTED

The data tables below list all the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked.

CHEMICAL	MCL	PHG (MCLG)	AVERAGE AMOUNT	RANGE OF DETECTION	MCL VIOLATION	RECENT TEST YEAR	TYPICAL SOURCE OF CONTAMINANT
<b>PRIMARY DRINKING WATER STANDARDS - Health - Related Standards</b>							
<b>RADIOLOGICALS</b>							
Gross Alpha Particle Activity (pCi/L)	15	0	ND	7.51	No	2024	Erosion of natural deposits
Uranium (pCi/L)	20	0.43	ND	15	No	2024	Erosion of natural deposits
<b>SYNTHETIC ORGANIC CHEMICALS</b>							
1,2,3 Trichloropropane [TCP] (ng/L)	5	0.7	ND	ND	No	2024	Industrial & Agricultural chemical discharge
Perchlorate (µg/L)	6	1	2	ND - 2.0	No	2025	Industrial environmental contamination
<b>INORGANIC CHEMICALS</b>							
Arsenic (ppb)	10	0.004	4.37	ND - 8.00	No	2022	Erosion of natural deposits
Fluoride (ppm) <i>Naturally Occurring</i>	2*	1	1.34	0.83 - 1.90	No	2025	Erosion of natural deposits
Hexavalent Chromium (µg/L)	10	0.02	2.3	2.2 - 2.4	No	2025	Runoff/leaching from natural deposits
Nitrate (ppm)	10	10	4.8	4.8	No	2025	Leaching from fertilizer use
*See Page 4 for more information on Fluoride							

<b>SECONDARY DRINKING WATER STANDARDS - Aesthetic Standards, Not Health-Related</b>							
Aluminum (ppb)	200	NA	ND	ND	No	2022	Erosion of natural deposits
Chloride (ppm)	500	NA	19.43	7.5 - 38	No	2022	Runoff/leaching from natural deposits
Iron (ppb)	300	NA	ND	ND	No	2022	Leaching from natural deposits
Odor - Threshold (units)	3	NA	1	1	No	2022	Naturally-occurring organic materials
Specific Conductance (µmhos/cm)	1600	NA	360	360	No	2022	Substances that form ions in water
Sulfate (ppm)	500	NA	38	17 - 77	No	2022	Runoff/leaching from natural deposits
Total Dissolved Solids (ppm)	1000	NA	250	190 - 380	No	2022	Runoff/leaching from natural deposits
Turbidity (NTU)	5	NA	0.22	ND - 0.55	No	2022	Soil runoff

<b>UNREGULATED CHEMICALS OF INTEREST</b>							
Hardness as CaCO <sub>3</sub> (ppm)	NR	NA	181.48	80.9 - 296	NA	2022	Runoff/leaching from natural deposits
Sodium (ppm)	NR	NA	23.20	11 - 55	NA	2022	Runoff/leaching from natural deposits
<p>MRDLG = maximum residual disinfectant level goal; MRDL = maximum residual disinfectant level; MCL = maximum contaminant level; MCLG = maximum contaminant level goal; N/A = not applicable; ND = not detected; NR = not regulated; PHG = public health goal; NL = Notification Level; ppb = parts per billion or micrograms per liter; ppm = parts per million or milligrams per liter; SMCL = secondary MCL; µmho/cm = micromhos per centimeter; &lt; = average is less than the reporting limit; pCi/l = picocuries per liter ±UCMR require reporting for five years. Detections for UCMR (Unregulated Contaminant Monitoring Rule) contaminants are removed from the report once they have reached the fifth year</p>							

CHEMICAL	ACTION LEVEL (AL)	PHG	90TH PERCENTILE	SITE EXCEEDING AL/NUMBER OF SITES	AL VIOLATION	NO. OF SCHOOLS REQUESTING LEAD SAMPLING	TYPICAL SOURCE OF CONTAMINANT
<b>LEAD AND COPPER CONCENTRATIONS AT RESIDENTIAL TAPS</b>							
Copper (ppm)	1.3	0.3	0.24	0/10	No	NA	Corrosion of household plumbing
Lead (ppb)	15	0.2	ND	0/10	No	0	Corrosion of household plumbing

The most recent set of samples (10 residences) were collected in July 2025. Copper was detected in 9 out of the 10 samples. None exceeded the regulatory action level (AL). Lead was not detected (ND) in any samples. None exceeded the regulatory AL. AL is the concentration of lead or copper which if exceeded in more than 10 percent of the samples tested, triggers treatment or other requirements that a water system must follow. In 2025, no schools submitted a request to be sampled for lead.

CHEMICAL	MCL (MRDL/MRDLG)	AVERAGE	RANGE OF DETECTION	MCL VIOLATION	RECENT TEST YEAR	TYPICAL SOURCE OF CONTAMINANT
<b>DISTRIBUTION SYSTEM WATER QUALITY</b>						
Chlorine Residual (ppm)	4	1.37	0.67 - 2.1	No	2025	Drinking water disinfectant
Haloacetic Acids (5) (HAA5) (ppb)	60	2.55	1.20 - 3.90	No	2025	Byproduct of chlorine disinfection
Fluoride (ppm)	2*	1.13	0.82 - 2.0	No	2025	Byproduct of drinking water disinfection
Total Trihalomethanes (TTHMs) (ppb)	80	18.5	11.0 - 26.0	No	2025	Byproduct of chlorine disinfection
Turbidity (ntu)	5**	0.1	ND - 0.37	No	2025	Soil runoff
Odor (ton)	3**	1	1	No	2025	Byproduct of drinking water disinfection

\*Six locations in KID's distribution system are tested quarterly for fluoride at the request of the State Board. \*\* Contaminant is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color).

CHEMICAL	MCL	PHG (MCLG)	HIGHEST NO. OF DETECTIONS	NO. OF MONTHS IN VIOLATION	MCL VIOLATION	RECENT TEST YEAR	TYPICAL SOURCE OF CONTAMINANT
<b>REVISED TOTAL COLFIORM RULE - Detection of Coliform Bacteria</b>							
<b>MICROBIOLOGICAL</b>							
<i>E. Coli</i> (state RTCR)	(a)	0	0	0	No	2025	Human and animal fecal waste

**Health Effects Language:** E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Human pathogens in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a greater health risk for infants, young children, some of the elderly, and people with severely-compromised immune systems.

Any violation of an AL, MCL, MRDL, or TT is asterisked. (a) routine and repeat samples are total coliform-positive and either is E. coli-positive.

CHEMICAL	MCL	PHG (MCLG)	HIGHEST NO. OF DETECTIONS	NO. OF MONTHS IN VIOLATION	MCL VIOLATION	SAMPLE DATES	TYPICAL SOURCE OF CONTAMINANT
<b>GROUND WATER RULE - Fecal Indicator-Positive Groundwater Source</b>							
<b>MICROBIOLOGICAL</b>							
Fecal Indicator <i>E. Coli</i> (GWR)	0	(0)	0	0	No	2025	Human and animal fecal waste
Enterococci	TT	NA	0	0	No	2025	Human and animal fecal waste
Coliphage	TT	NA	0	0	No	2025	Human and animal fecal waste
<b>Health Effects Language:</b> Fecal coliforms and <i>E. coli</i> are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, some of the elderly, and people with severely compromised immune systems.							

**SUMMARY INFORMATION for contaminants exceeding an MCL, MRDL, AL, or violation of any TT or monitoring or reporting requirements**

Kinneloa Irrigation District had no violations of any primary or secondary drinking water standard, maximum residual disinfectant level, action level, treatment technique, or monitoring and reporting requirement during the 2025 reporting period.

## EATON FIRE WATER QUALITY

In January 2025, the Eaton Fire caused significant destruction in and around the Kinneloa Irrigation District service area. In coordination with the State Water Resources Control Board (SWRCB), the District issued a Do Not Drink advisory on January 8, 2025. Per an order from the Division of Drinking Water (DDW), the District developed sampling & monitoring plans to test for volatile organic compounds (VOCs), particularly benzene throughout the distribution system. Benzene is a chemical compound released during the burning of structures and materials that can potentially enter a water distribution system through damaged pipes or loss of system pressure, posing serious health risks if consumed. All samples were analyzed by an accredited laboratory and confirmed that the District's potable water supply met all drinking water standards. The advisory was promptly lifted on January 21, 2025, following receipt of the results.

In accordance with DDW's post-fire ongoing monitoring recommendations, the District continued testing for bacteriological quality, benzene, other VOCs, and asbestos throughout the distribution system for the remainder of 2025. All samples were analyzed by an accredited laboratory, and results confirmed the District's potable water supply met all drinking water standards throughout the ongoing recovery process.

## CROSS CONNECTION CONTROL PROGRAM

In June 2025, Kinneloa Irrigation District updated its Cross-Connection Control Program to comply with the latest requirements set forth by the State of California, including Title 17 of the California Code of Regulations and the SWRCB's Cross-Connection Control Policy Handbook. Customers whose plumbing systems pose a potential hazard to the public water supply may be required by the District to install an approved backflow prevention assembly. Residential, commercial, and industrial customers with a high potential for contamination must install and maintain backflow prevention assemblies. Customers who receive an annual testing notice from the District must have their assembly tested by a KID-authorized certified tester at the customer's expense, and results must be submitted to [kid@kidwater.info](mailto:kid@kidwater.info). For more information, visit <https://www.kinneloirrigationdistrict.info/cross-connection-control-program>

## DISTRICT UPDATE ON FLUORIDE

KID's fluoride variance from the State Water Resources Control Board expired on December 13, 2023. KID is now required to meet the California fluoride maximum contaminant level (MCL) of 2 mg/L. In response, the District underwent necessary system changes to remain in compliance. All gravity-fed groundwater tunnels were removed from the distribution system and redirected to groundwater recharge (spreading). In 2025, all remaining active water sources tested at or below 2 mg/L for fluoride.

## LEAD & COPPER RULE - LEAD SERVICE LINE INVENTORY

### RULE, REVISIONS, AND IMPROVEMENTS

In compliance with the SWRCB's Lead and Copper Rule requirements, Kinneloa Irrigation District maintains a Lead Service Line Inventory (LSLI) of all service line materials within the District's distribution system. Based on a thorough review of historical records and field investigations, the District has determined that there are no lead or galvanized service lines requiring replacement within its distribution system. This determination includes both District-owned and customer-owned service lines. During 2025, no service lines were identified, replaced, or reclassified for lead or galvanized requiring replacement. To view the District's written statement on the Lead Service Line Inventory, visit <https://tinyurl.com/KIDLSLI25>

## REGULATION OF DRINKING WATER AND BOTTLED WATER QUALITY

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

## ADDITIONAL GENERAL INFORMATION ON DRINKING WATER

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

**Lead:** If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Kinneloa Irrigation District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or [athttp://www.epa.gov/lead](http://www.epa.gov/lead).

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and/or flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the U.S. EPA Safe Drinking Water Hotline (1-800-426-4791).

**Nitrate:** Testing conducted in 2025 found detectable levels of nitrate in KID's groundwater sources; however, the concentrations were well below the regulatory action threshold.

Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

**Arsenic:** While your drinking water meets the federal and state standards for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The U.S. Environmental Protection Agency continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

**Cryptosporidium:** Groundwater is protected from many infectious organisms, such as the parasite cryptosporidium, by the natural filtration action of water percolating through soils. There is no indication that Cryptosporidium has breached this natural soil filter and entered the KID water supply.

**Chromium (hexavalent):** Testing conducted in 2025 found detectable levels of hexavalent chromium in the District's groundwater sources; however, the concentrations were well below the regulatory action threshold.

The requirement for **Ethics Training** is outlined in **California Government Code Section 53235**, which was introduced by **Assembly Bill 1234 (AB 1234)** in 2026.

Specifically, the law states:

- **Government Code Section 53235(a)(1)**: "If a local agency provides any type of compensation, salary, or stipend to a member of the legislative body, or provides reimbursement for actual and necessary expenses incurred by a member of a legislative body in the performance of official duties then all local agency officials shall receive training in ethics pursuant to this article."
- **Government Code Section 53235 (2)**: "Each local agency official shall receive at least two hours of training in general ethics principles and ethics laws relevant to the official's public service every two years."
- **Government Code Section 53235.1(b)(1)**:  
*"Each local agency official who commences service with a local agency on or after January 1, 2006, shall receive the training required by subdivision (a) of Section 53235 no later than one year from the first day of service with the local agency and each local agency official who commences service with a local agency on or after January 1, 2026, shall receive the training required by subdivision (a) of Section 53235 no later than six months from the first day of service with the local agency."*

In California, once a board member (or any supervisory employee) assumes their role, they are required to complete **Harassment Prevention Training** within **six months** of assuming their position. This requirement is part of **California Government Code Section 12950.1**, which mandates harassment training for all supervisory employees.

The law, expanded by **Senate Bill 1343 (SB 1343)** and **Senate Bill 778 (SB 778)**, requires that both supervisory and non-supervisory employees in organizations with five or more employees receive education regarding sexual harassment prevention training. For supervisors (which may include board members), the required training is:

- **Two hours of Sexual Harassment Prevention Training** within **six months** of assuming their position.
- The training must be repeated **every two years**.